

Versatile pergola with a modern design, designed to cover existing structures and large spaces.

Entirely made with painted aluminum profiles and with pre-tensioned darkening PVC, or embossed Valmex darkening or two-colored Opatex PVC, the structure is moved by a radio-controlled electronic motor, which allows the fabric to be folded open up to the maximum tension.


The pre-tensioned blackout PVC covers are available in the colors White, Gray and Vanilla; the embossed blackout Valmex PVC covers are available in White, Ivory and Gray. The cover fabric is unique, with a particular drip and water channeling system; to obtain maximum comfort, the best functionality and water retention by the structure, it is possible to install the roof covering it on the winding, the gutter and the drip gasket.

With the M155 PACK it is possible to cover already existing structures with dimensions up to 15 meters in width and 8 meters in projection, alongside the maximum number of 3 modules.


MINIMUM INCLINATION REQUIRED FOR CORRECT OPERATION 15%

OUR PERGOLAS ARE MADE WITH ROLLER TUBE AND ALUMINUM ACCESSORIES.

Maximum dimensions				
	width	projection		
1 Module	500			
2 Modules	1000	800		
3 Modules	1500			



SP	A*	B*	Р
	СМ	СМ	=
200	57	63	4
250	58	70	5
300	60	77	6
350	65	77	6
400	66	84	7
450	67	91	8
500	68	98	9
550	70	105	10
600	71	112	11
650	72	119	12
700	73	126	13
750	74	133	14
800	75	140	15



PROFILE GUIDE

*INDICATIVE VALUES


SP PROJECTION


В


15,5 ENCUMBRANCE FABRIC IN HEIGHT (variable second inclination) **ENCUMBRANCE FABRIC IN PROJECTION** NUMBER OF PROFILES MOVEFABRIC (including terminal)


The distance between the profiles movefabric is never exceeding 60 cm.

TECHNICAL DATA SHEET









INSTALLATIONS

